



UPL
OpenAg™

Panarex (quizalofop-p-tefuryl 40 g/L)

Usare i prodotti fitosanitari con precauzione. Prima dell'uso leggere sempre l'etichetta e le informazioni sul prodotto. Si richiama l'attenzione sulle frasi e sui simboli di pericolo riportati in etichetta.



Caratteristiche

Spettro d'azione

Panarex

Graminacee invernali (Alopecuro, Avene, Loietto, ecc.)



Panarex

Graminacee estive (Giavoni, *Setaria spp.*, *Digitaria spp.*, ecc.)



Panarex

Graminacee perenni (Sorghetta, *Agropyron repens*, Gramigna, ecc.)




Dati sperimentali

Soia Castellazzo Bormida (AL)

Digitaria



■ % efficacia al 15/06 (T+7)



Applicazione: 08/06


Digitaria (*Digitaria sanguinalis*): BBCH 11-12

Incolto Piangipane (RA)

Sorghetta da rizoma



■ % efficacia al 24/08 (T+33)




Applicazione: 22/07
Sorghetta BBCH 24-26

Incolto Piangipane (RA)

Sorghetta da rizoma



■ % copertura al 24/08 (T+33)



Applicazione: 22/07
Sorghetta BBCH 24-26

The logo features the letters 'UPL' in a large, bold, black sans-serif font. Below it, 'OpenAg™' is written in a smaller, black sans-serif font. The text is positioned to the right of a central graphic consisting of several overlapping, semi-transparent circles in shades of orange, yellow, and pink, creating a sun-like or floral effect.

UPL
OpenAg™

Panarex (quizalofop-p-tefuryl 40 g/L)